CLINICAL ROTATION COVID-19 PRACTICE UPDATE

WHAT ARE THE SIGNS AND SYMPTOMS OF COVID-19

- * Fever
- * Dry Cough
- ✤ Productive Cough

SOCIAL DISTANCING

* Please maintain 6 feet between yourself and others

WHAT IS THE PROCEDURE FOR SCREENING AND PERSONAL PROTECTIVE EOUIPMENT

WIVERSAL SCREENING FOR ALL VISITORS AND EMPLOYEES

- Screening will occur upon entrance to the hospital or any Loyola Medicine building
 - Each individual will be asked about symptoms and infrared temperature will be taken
 - Each individual will be handed a regular face mask after screening is complete to wear for the entire clinical day
 - If asked to share manager information, please use Ann-Marie Burke, Clinical Coordinator, Center for **Professional Practice and Development**

W UNIVERSAL MASKING FOR ALL VISITORS AND EMPLOYEES

All Loyola Medicine hospitals and clinics require that all patients, visitors, colleagues and physicians wear masks in all facilities

COVID-19 PATIENT (POSITIVE OR RULE OUT)

***** NO STUDENT IS TO ENTER A COVID-19 PATIENT ROOM OR ANY ISOLATION ROOM DURING CLINICAL

ROTATIONS*

GOWN + REGULAR FACE MASK + EYE PROTECTION (WHEN AT RISK FOR CLOSE CONTACT) + GLOVES CLOSE CONTACT CAN OCCUR WHILE CARING FOR A PATIENT. INCLUDING \rightarrow

- being within approximately 6 feet of a patient with COVID-19 for a prolonged period
- having direct contact with sputum, serum, blood, and respiratory droplets
- ELEVATED PRECAUTIONS FOR AEROSOL GENERATING PROCEDURES (per IDPH guidelines)
 - WEAR N95 AND EYE PROTECTION OR PAPR
 - Examples INCLUDE: bronchoscopy, BIPAP, CPAP, CPR, nebulizer treatments, noninvasive heated high flow nasal cannula devices, placing/exchanging tracheotomy, suctioning

EXPECTATIONS TO MAINTAIN PERSONAL PROTECTIVE EQUIPMENT

* The regular face mask can remain on caregiver AND can be used for up to one week unless it becomes damp, damaged, visibly soiled, or hard to breathe through

- Masks can be stored inside of a paper bag with first and last name written on it (paper bags are not provided by the hospital)
- * Continue to wear the same surgical mask throughout shift and patient care remove other PPE after patient care, and perform hand hygiene between patients



WHAT IS EVERYONE'S RESPONSIBILITY DURING THE COVID-19 SITUATION

* Wash your hands often with soap and water for at least 20 seconds, or use hand sanitizer allowing to dry

* Avoid touching your eyes, nose and mouth with unwashed hands

Contact Infection Prevention and Control at ex 6-3654 with questions 5/26/2020

- ✤ Shortness of Breath
- ✤ Fatigue or Muscle aches
- ✤ Acute Diarrhea

MASKS REQUIRED



